

See the Unseen, Capture Details Up Close









Al Noise Reduction



Macro Lens



Auto Rotate G-sensor





Plug & Play




VS13AM

4K 2-In-1 Noise Cancellation Camera with 20X Macro Lens

- Max. output image size up to 13MP (4160x3120 pixels); supports 4K@30fps video recording
- Al noise reduction technology
- · Comes with a 20X macro lens
- Built-in G-sensor for automatic video rotation
- Dual-mode autofocus (AF-C / AF-S)
- Foldable, compact design for easy transport and storage
- · Compatible with interactive VisualCam software for Windows and macOS



Features



Capture Every Detail with macro lens

The VS13AM comes with a macro lens that lets you capture and magnify details up to 20x. Simply adjust the camera arm to the minimum focusing distance of 2-3 cm for an ultra-close view of your subject.



2-in-1 Document Camera & Webcam

VS13AM is an ideal visualizer for use in home. school, and office. Simply flipping the camera head, you can present the materials whatever you want.



Al Noise Reduction Technology

To improve communication and co-work accuracy, VS13AM is equipped with an AI Noise Reduction chip. It offers highly effective in maintaining the natural sound of the human voice while removing noise with high accuracy.



Excellent 4K Video Quality

Featuring 13MP (4160 × 3120 pixels) image output and 4K@30FPS video recording, VS13AM delivers crisp, detailed images for both document sharing and live demonstrations.



Automatically Flip Video

With a built-in auto-rotate G-sensor, the camera automatically adjusts the video orientation when the head is tilted up or down, ensuring the correct viewing angle at all times.



One-Press Touch Buttons

Achieve precise, rapid focus or rotate the image instantly with a single touch of the button. In low-light environments, activate the built-in LED light to illuminate your materials for optimal capture and presentation.

SPECIFICATION

1/2.55" CMOS Image Sensor F/NO (Infinite) F1.8 ± 5%

Hardware Available Resolution

G-Sensor

3840x2160@30fps, 2048x1536@30fps, 1920x1080@30fps, 1600x1200@30fps, 4000x3000@10fps, 800x600@30fps, 2592x1944@30fps, 3840x2880@15fps, 3264x2448@15fps, 2560x1440@30fps, 1024x768@15fps, 960x540@30fps, 640x480@30fps, 640x360@30fps Max. Scan Size Up to 4160 × 3120 pixels (13MP)

Max.Capture Area 440x330mm at 4000 x 3000 pixels resolution

> Without Macro Lens Adapter: 10 cm With Macro Lens Adapter: 3 cm Auto, supports dual modes (AF-C / AF-S)

94dB SPL @1KHz Min-29 Tye-26 Max-23 dBFS

Built-in (supports automatic rotation)

Image Rotation 0° / 180° / AUTO Support Power Line Frequency 50 / 60 Hz

Microphone Built-in Al noise reduction microphone

Microphone Sensitivity

Min. Focus distance

Focus

I FD lamp Built-in Interface USB Type-C Powered by USB 2.0 5V/500mA Support Operating System Windows® 11, 10, 8, 7 macOS 10.15 or later

Dimensions Extended: 397(L) × 51(W) × 351(H) mm Closed: 197 (L)×51(W) × 20(H) mm

SNR 64dB

Net Weight

INTERACTIVE SOFTWARE



Use the powerful VisualCam software to enhance your education, it provides various tools, split-screen comparison, picture-in-pictrue recording, stop motion, and an interactive whiteboard to achieve a more user experience.

SYSTEM REQUIREMENTS

Windows® 11, 10, Windows 8, Windows 7 macOS 10.15 or later

INSIDE THE BOX

VS13AM Document Camera Carrying Bag **USB** Cable 20x Macro Lens Adapter

Cable Clip x 2 USB C to A Adapter Quick Start Guide

WARRANTY

This product provides limited warranty continues for one (1) year from the date of purchase.



VIISAN Technology Co., Ltd.

Unit A311, Information Center, ZhongGuanCun Software Z-Park HaiDian District, Beijing, China (100193) Technical support: info@viisan.com

All other trademarks are the properties of their respective owners. VIISAN assumes no responsibility for any errors that may appear in this publication. Product, pricing, and feature information contained herein are subject to change without notice.