


VIISAN®

2-in-1 Document Camera & Webcam

Model No. P2U

Quick Start Guide



Get 24/7 Assistance

Use a camera or QR scanner to scan


Or Visit at <https://viisan.afterservice.vip>

Before Use

Thank you for purchasing the VIISAN product. The P2U is a 2-in-1 Document Camera & Webcam designed for remote learning and live demonstration. This quick start guide briefly describes how to use this product. If you have any technical or service questions about the product, please feel free to e-mail our customer service via **info@viisan.com** and we will provide you with service and support.

What's In The Box?

NOTE: When unpacking the product, please check if the product and accessories are intact carefully. If there is anything missing or damaged, please don't hesitate to contact our customer service via **info@viisan.com**




❶ P2U Document Camera & WebCam



❷ Carry Bag




❸ USB Cable




❹ Quick Start Guide

Parts Descriptions




Getting Started


1. Push a finger through an opening at the base of the device to lifting the camera arm.



2. Press against the base plate of camera and pull it up then flip the camera head.




3. Adjust the arm to change the height and position for capturing your materials. Fully extend the camera arm to capture the maximum shooting area of A3.




Connection Settings

1. Plug the supplied USB cable to the camera and connect another end into the computer's USB port (PC, Mac or Chromebook).
2. Attach the cable organizer to the camera arm.



Using the compatible software

The P2U is a standard UVC camera, you can use it with a variety of software as long as they recognize the video source coming from a UVC camera. For example, you can use it with third-party video conferencing software like Zoom, Microsoft Teams, or Google Meet. However, to get the full functionality of this Document Camera, we'd recommend using it with VIISAN VisualCam software and you can download this free software from VIISAN's support center at the below link.



Download the compatible software & user manual at

<https://www.viisan.com/en/download/type4.html>



VIISAN VisualCam

Specifications

Image Sensor	5.0-Megapixel 1/4" CMOS
F/NO (Infinite)	2.0
Max. Shooting Area	410 x 308mm
Max. Output Resolution	5.0MP (2592 x 1944)
Output Resolution / FPS	MJPEG: 2592x1944@30fps, 2560x1440@30fps 1600x1200@30fps, 1920x1080@30fps 1280x720@30fps, 1024x768@30fps 960x540@30fps, 640x480@30fps 640x360@30fps YUY2: 1280x720@10fps, 1024x768@15fps 960x540@15fps , 640x480@30fps 640x360@30fps
Video Format	MJPEG / YUY2
Focus	Auto / Manual
Lamp	LED
Image Rotation	0° / 180°
Power Frequency	50 / 60 Hz
Connectivity	USB 2.0
Microphone	Built-in Omnidirectional Microphone
Powered By	USB (5V/500mA)
Protocol	UVC / UAC Compliant
Support OS (UVC)	Windows, macOS, Chrome OS
Dimensions (L x W x H)	Extended: 393x66x346mm / 15×2.5×7.6 inch Closed: 195x66x13mm / 7.6×2.5×0.5 inch
Net Weight	430g / 1.05lbs

NOTE: Specifications are subject to change without notice

Authentication

Federal Communications Commission Statement (Class B)

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instruction manual, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- **Reorient or relocate the receiving antenna.**
- **Increase the separation between the equipment and receiver.**
- **Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.**
- **Consult the dealer or an experienced radio/TV technician for help.**

Any changes or modifications not expressly approved by the party responsible for compliance could void the authority to operate the equipment.



CE Class B (EMC)

This product is herewith confirmed to comply with the requirements set out in the Council Directives on the Approximation of the laws of the Member States relating to Electromagnetic Compatibility Directive 2014/30/EU.



Product Disposal

This symbol on a product or on its packaging indicates that the product must not be disposed of with other household waste. Instead, it is your responsibility to ensure disposal of waste equipment by handing it over to a designated collection point for the recycling of waste electrical and electronic equipment usually at a Local Amenity Site. The proper recycling of your waste equipment at the time of disposal will help to conserve natural resources and ensure that it is recycled in a manner that protects human health and the environment.



Warranty Information

1. Warranty Period.

This product is warranted to be free from defects in materials and workmanship for a period of (1) ONE YEAR from the date of original purchase.

2. The following circumstances SHALL NOT be covered by the Warranty.

- Product damage caused by catastrophes, thunder stroke, faulty electric power, and environmental factors.
- Defacing of product labeling (label alterations and falsifying, serial number missing, serial number no longer discernible, serial number invalid). Please note that all serial numbers are recorded and tracked for warranty purposes.
- Unauthorized changes of non-parts, modifications or alterations, parts removal in or to the products.
- Damage caused by operator error or operator fails to comply with the instructions described in the user manual , including but not limited to improper storage resulting in the product getting wet, corrosion, being squeezed or exposed to inadequate temperature or humid environment.
- Accessories or packing materials such as boxes, user manual, etc.

Contact Us

If you encounter any problems when using the product, please feel free to contact us through the following methods or scan the QR code to get a quick response and a satisfactory solution.

Amazon Platform: "Contact Seller"

Official Website: www.viisan.com/en

Email Address: info@viisan.com

Get 24/7 Assistance at



Use camera or QR scanner to scan

Or Visit: [https://viisan.afterservice.vip](https://viisan afterservice.vip)

WARRANTY CARD

Model No.: P2U

This product provides limited warranty continues for one (1) year from the date of purchase.

Name:

Email:

Address:

Product S/N:

Reseller Info.:

Date of purchase:

VIISAN®